

FINLUX/ 22FLHXR910LHU LED

SOUND		TYPE	HD DVB-T(MPEG4)
GER(D) + NICAM STEREO	YES	CABINET	22910LED
EQUALIZER (5 BAND)	5 band	SIZE	22" W
CARRIER MUTE	YES	COSMETIC SPECS	
DOLBY DIGITAL PLUS(DD+)	YES	FRONT COLOR	BLACK
DDCO	YES	DISPLAY FEATURES	
AUDIO OUTPUT POWER(RMS)	2x2,5W RMS(%10 THD)	RESOLUTION	1920 x 1080
CONNECTORS		CONTRAST RATIO	1000:1
RF: TV/CATV 75 OHMS COAXIAL	YES	BRIGHTNESS LEVEL	250 ~ 300
SCART	1	RESPONSE TIME	5ms
SVHS VIA SCART	YES	RESPONSE TIME DEFINITION	Tr+Tf ~ G-G
COMPOSITE VIDEO/AUDIO IN	YES	VIEWING ANGLE	170/160 ~ 178/178
VGA (PC IN: D-SUB15)	YES	MAIN FEATURES	
PC AUDIO IN	VIA SIDE AV IN	LED EDGE BACK LIGHT	YES
HDMI 2 (HDCP)	YES	DVB-T MPEG4 H.264	YES
DIGITAL AUDIO OUTPUT(COAX)	YES	MEDIA PLAYER	YES
HEADPHONE OUT(MAIN VOLUME CONTROL)	YES	HDMI (1.1/1.2/1.3)	1.3
USB1 (2.0)	YES	SCREEN FORMATS	
DIGITAL SW UPDATE	USB & LAN (Single SW)	VISIBLE SCREEN SIZE	22" W
TEXT		SCREEN FORMAT	16:9
FAST TEXT	YES	RECEPTION & TUNING SYSTEMS	
NUMBER OF TELETEXT PAGES	1000P	TUNER VHF/UHF/CABLE	BUILT IN
CERTIFICATES		ANALOG MENU LANGUAGES	Eng(GB), Ger(D), Fre(F), Dan(DK), Fin(SF), Nor(N), Swe(S), Cro(HR), Cze(CZ), Dut(NL), Gre(GR), Bu(BG), Hun(H), Ita(I), Pol(PL), Por(P), Rom(RO), Rus(RUS), Sik(SK), Slo(SLO), Spa(E), Tur(TR)
WEEE COMPLIANT	YES	APS / ATS (AUTO SEARCH)	YES
ROHS COMPLIANT	YES	PROGRAM STORAGE CAPACITY (ANALOG)	200
PICTURE		PAL SECAM B/G D/K I/I' L/L' (TRI STANDART)	YES
ZOOM MODES(ASPECT RATIO)	YES	DIGITAL (DVB)	
COMB FILTER (2D / 3D)	YES	PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800
CT/LTI	YES	DIGITAL MENU LANGUAGES	Eng(GB), Ger(D), Fre(F), Dan(DK), Fin(SF), Nor(N), Swe(S), Cro(HR), Cze(CZ), Dut(NL), Gre(GR), Bu(BG), Hun(H), Ita(I), Pol(PL), Por(P), Rom(RO), Rus(RUS), Sik(SK), Slo(SLO), Spa(E), Tur(TR)
DIGITAL NOISE REDUCTION	YES	DIGITAL (DVB)	
DYNAMIC CONTRAST	YES	EPG (ELECTRONIC PROGRAM GUIDE)	YES
PROGRESSIVE SCAN	YES	NOW AND NEXT	YES
ADDITIONAL FEATURES		COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)	YES
NTSC PLAYBACK	YES		
SLEEP TIMER	YES		
HOTEL MODE (PASSIVE)	YES		
CHILD LOCK	YES		
NO IDENT TIMER	YES		
ACTIVE ANTENNA(RF)	YES		
OPERATION			
POWER SUPPLY	1W(ST-BY)220-240V AC 50Hz(LIPS)		

FINLUX/ 32FLX905HU				
DIGITAL (DVB)		TYPE	HD DVB-T(MPEG4)	
PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800	SIZE	32" 16/9	
DIGITAL MENU LANGUAGES		COSMETIC SPECS		
Eng(GB), Ger(D), Fre(F), Dan(DK), Fin(SF), Nor(N), Swe(S), Cro(HR), Cze(CZ), Dut(NL), Gre(GR), Bul(BG), Hun(H), Ita(I), Pol(PL), Por(P), Rom(RO), Rus(RUS), Slk(SK), Slo(SLO), Spa(E), Tur(TR)		FRONT COLOR	BLACK	
		FUNCTION BUTTONS	TOUCH BUTTONS	
	DISPLAY FEATURES			
		RESOLUTION	1366 x 768	
		CONTRAST RATIO	1000:1 ~ 4000:1	
		BRIGHTNESS LEVEL	430 ~ 500	
		RESPONSE TIME	6,5ms ~ 8ms	
		RESPONSE TIME DEFINITION	G-G	
		VIEWING ANGLE	176/176 ~ 178/178	
		DYNAMIC CONTRAST RATIO SPECIFIED	6500	
	MAIN FEATURES			
		DVB-T MPEG4 H.264	YES	
		MEDIA PLAYER	YES	
	HDMI (1.1/1.2/1.3)	1.3		
SCREEN FORMATS				
	VISIBLE SCREEN SIZE	32" 16/9		
	SCREEN FORMAT	16:9		
RECEPTION & TUNING SYSTEMS				
	TUNER VHF/UHF/CABLE	BUILT IN		
	ANALOG MENU LANGUAGES	Eng(GB), Ger(D), Fre(F), Dan(DK), Fin(SF), Nor(N), Swe(S), Cro(HR), Cze(CZ), Dut(NL), Gre(GR), Bul(BG), Hun(H), Ita(I), Pol(PL), Por(P), Rom(RO), Rus(RUS), Slk(SK), Slo(SLO), Spa(E), Tur(TR)		
DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV)	UK: MHEG 5 1.06 PAN EU: VBI	APS / ATS (AUTO SEARCH)	YES	
EPG (ELECTRONIC PROGRAM GUIDE)	YES	PROGRAM STORAGE CAPACITY (ANALOG)	200	
NOW AND NEXT	YES	PAL SECAM B/G D/K I/I' L/L' (TRI STANDART)	YES	
COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)	YES	SOUND		
LCN INSTALLATION (CHECK FOR COUNTRY)	YES	GER(D) + NICAM STEREO	YES	
PIP / PAP / PAT		EQUALIZER (5 BAND)	5 band	
PICTURE AND TELETEXT(PAT)	YES	CARRIER MUTE	YES	
TEXT		DOLBY DIGITAL PLUS(DD+)	YES	
FAST TEXT	YES	DDCO	YES	
NUMBER OF TELETEXT PAGES	1000P	AUDIO OUTPUT POWER(RMS)	2x6W RMS(%10 THD)	
CERTIFICATES		CONNECTORS		
WEEE COMPLIANT	YES	RF: TV/CATV 75 OHMS COAXIAL	YES	
ROHS COMPLIANT	YES	SCART	2	
PICTURE		SVHS VIA SCART	YES	
ZOOM MODES(ASPECT RATIO)	YES	RGB VIA SCART2	YES	
COMB FILTER (2D / 3D)	YES	COMPOSITE VIDEO/AUDIO IN	YES	
CTI/LTI	YES	VGA (PC IN: D-SUB15)	YES	
DIGITAL NOISE REDUCTION	YES	PC AUDIO IN	VIA YPbPr	
DYNAMIC CONTRAST	YES	HDMI 2 (HDCP)	YES	
PROGRESSIVE SCAN	YES	DIGITAL AUDIO OUTPUT(COAX)	YES	
ADDITIONAL FEATURES		HEADPHONE OUT(MAIN VOLUME CONTROL)	YES	
NTSC PLAYBACK	YES	USB2 (2.0)	YES	
SLEEP TIMER	YES	DIGITAL SW UPDATE	USB & LAN (Single SW)	
HOTEL MODE (PASSIVE)	YES			
CHILD LOCK	YES			
NO IDENT TIMER	YES			
TOUCH KEY PAD	YES			
ACTIVE ANTENNA(RF)	YES			
OPERATION				
POWER SUPPLY	1W(ST-BY)220-240V AC 50Hz			

FINLUX/ 32FLXR905LU LED

SOUND		TYPE	HD DVB-T(MPEG4)
GER(D) + NICAM STEREO	YES	CABINET	32905LED
EQUALIZER (5 BAND)	5 band	SIZE	32" 16/9
CARRIER MUTE	YES	COSMETIC SPECS	
DOLBY DIGITAL PLUS(DD+)	YES	FRONT COLOR	BLACK
DDCO	YES	FUNCTION BUTTONS	TOUCH BUTTONS
AUDIO OUTPUT POWER(RMS)	2x6W RMS(%10 THD)	DISPLAY FEATURES	
CONNECTORS		BRIGHTNESS LEVEL	400 ~ 430
RF: TV/CATV 75 OHMS COAXIAL	YES	RESPONSE TIME	8ms ~ 9ms
SCART	2	RESPONSE TIME DEFINITION	G-G
SVHS VIA SCART	YES	VIEWING ANGLE	178/178
RGB VIA SCART2	YES	MAIN FEATURES	
COMPOSITE VIDEO/AUDIO IN	YES	LED EDGE BACK LIGHT	YES
VGA (PC IN: D-SUB15)	YES	DVB-T MPEG4 H.264	YES
PC AUDIO IN	VIA YPbPr	MEDIA PLAYER	YES
HDMI 4 (HDCP)	YES	HDMI (1.1/1.2/1.3)	1.3
DIGITAL AUDIO OUTPUT(COAX)	YES	SCREEN FORMATS	
HEADPHONE OUT(MAIN VOLUME CONTROL)	YES	VISIBLE SCREEN SIZE	32" 16/9
USB2 (2.0)	YES	SCREEN FORMAT	16:9
DIGITAL SW UPDATE	USB & LAN (Single SW)	RECEPTION & TUNING SYSTEMS	
PICTURE		TUNER VHF/UHF/CABLE	BUILT IN
ZOOM MODES(ASPECT RATIO)	YES	ANALOG MENU LANGUAGES	Eng(GB), Ger(D), Fre(F), Dan(DK), Fin(SF), Nor(N), Swe(S), Cro(HR), Cze(CZ), Dut(NL), Gre(GR), Bul(BG), Hun(H), Ita(I), Pol(PL), Por(P), Rom(RO), Rus(RUS), Slk(SK), Slo(SLO), Spa(E), Tur(TR)
COMB FILTER (2D / 3D)	YES	APS / ATS (AUTO SEARCH)	YES
CT/LTI	YES	PROGRAM STORAGE CAPACITY (ANALOG)	200
DIGITAL NOISE REDUCTION	YES	PAL SECAM B/G D/K I/I' L/L' (TRI STANDART)	YES
DYNAMIC CONTRAST	YES	DIGITAL (DVB)	
PROGRESSIVE SCAN	YES	PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800
ADDITIONAL FEATURES		DIGITAL MENU LANGUAGES	Eng(GB), Ger(D), Fre(F), Dan(DK), Fin(SF), Nor(N), Swe(S), Cro(HR), Cze(CZ), Dut(NL), Gre(GR), Bul(BG), Hun(H), Ita(I), Pol(PL), Por(P), Rom(RO), Rus(RUS), Slk(SK), Slo(SLO), Spa(E), Tur(TR)
NTSC PLAYBACK	YES	OPERATION	
SLEEP TIMER	YES	POWER SUPPLY	
HOTEL MODE (PASSIVE)	YES	1W(ST-BY)2 20-240V AC 50Hz	
CHILD LOCK	YES	PIP / PAP / PAT	
NO IDENT TIMER	YES	PICTURE AND TELETEXT(PAT)	
TOUCH KEY PAD	YES	YES	
ACTIVE ANTENNA(RF)	YES	TEXT	
OPERATION		FAST TEXT	
POWER SUPPLY		YES	
PICTURE AND TELETEXT(PAT)		NUMBER OF TELETEXT PAGES	
YES		1000P	
APPROVALS		CERTIFICATES	
ANTENNA READY	YES	WEEE COMPLIANT	
TDT PREMIUM SPAIN	YES	ROHS COMPLIANT	
YES		EPG (ELECTRONIC PROGRAM GUIDE)	
YES		NOW AND NEXT	
YES		COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)	
YES		YES	

FINLUX/ 40FLSX840SLPU LED

SOUND		TYPE	HD DVB-T(MPEG4)
GER(D) + NICAM STEREO	YES	SIZE	40" 16/9
EQUALIZER (5 BAND)	5 band	COSMETIC SPECS	
CARRIER MUTE	YES	FRONT COLOR	BLACK
DOLBY DIGITAL PLUS(DD+)	YES	FUNCTION BUTTONS	TOUCH BUTTONS
AUDIO OUTPUT POWER(RMS)	2x8W RMS(%10 THD)	DISPLAY FEATURES	
CONNECTORS		BRIGHTNESS LEVEL	450
RF: TV/CATV 75 OHMS COAXIAL	YES	RESPONSE TIME	6ms
SCART	1	RESPONSE TIME DEFINITION	G-G
COMPOSITE VIDEO/AUDIO IN	YES	VIEWING ANGLE	88/88 ~ 178/178
VGA (PC IN: D-SUB15)	YES	MAIN FEATURES	
PC AUDIO IN	VIA SPECIAL JACK	FULL HD	YES
HDMI 4 (HDCP)	YES	100HZ (FLICKER FREE)	YES
DIGITAL AUDIO OUTPUT(OPTIC)	YES	LED EDGE BACK LIGHT	YES
HEADPHONE OUT(HEADPHONE VOL.CONTROL SUPPORT DUAL CHANNELS)	YES	DVB-T MPEG4 H.264	YES
USB2 (2.0)	YES	MEDIA PLAYER	YES
LAN-ETHERNET(IEEE 802.3)RJ45	YES	HDMI (1.1/1.2/1.3)	1.3
DIGITAL SW UPDATE	USB & LAN (Single SW)	SCREEN FORMATS	
DECODER SUPPORT	scart1	VISIBLE SCREEN SIZE	40" 16/9
PICTURE		SCREEN FORMAT	16:9
ZOOM MODES(ASPECT RATIO)	YES	RECEPTION & TUNING SYSTEMS	
COMB FILTER (2D / 3D)	YES	TUNER VHF/UHF/CABLE	BUILT IN
CTI/LTI	YES	ANALOG MENU LANGUAGES	Eng(GB), Fre(F), Ger(D), Tur(TR), Ita(I), Spa(E), Por(P), Swe(S), Rus(RUS), Pol(PL), Cze(CZ), Hun(H), Cro(HR), Dan(DK), Slo(SLO), Rom(RO), Bul(BG), Gre(GR), Fin(SF), Nor(N), Dut(NL), Slk(SK)
DIGITAL NOISE REDUCTION	YES	APS / ATS (AUTO SEARCH)	YES
ASIC PIXELLENCE(PICTURE ENHANCEMENT)	YES	PROGRAM STORAGE CAPACITY (ANALOG)	200
DYNAMIC CONTRAST	YES	PAL SECAM B/G D/K I/I' L/L' (TRI STANDART)	YES
PROGRESSIVE SCAN	YES	DIGITAL (DVB)	
MOTION ESTIMATION(ME/MOTION COMPANSATION/MC)	YES	PROGRAM STORAGE CAPACITY (DIGITAL T/T2/C)	800
ADDITIONAL FEATURES		DIGITAL MENU LANGUAGES	Eng(GB), Fre(F), Ger(D), Tur(TR), Ita(I), Spa(E), Por(P), Swe(S), Rus(RUS), Pol(PL), Cze(CZ), Hun(H), Cro(HR), Dan(DK), Slo(SLO), Rom(RO), Bul(BG), Gre(GR), Fin(SF), Nor(N), Dut(NL), Slk(SK)
NTSC PLAYBACK	YES	OPERATION	
SLEEP TIMER	YES	POWER SUPPLY	1W(ST-BY)2 20-240V AC 50Hz
HOTEL MODE (PASSIVE)	YES	PIP / PAP / PAT	
CHILD LOCK	YES	PICTURE AND TELETEXT(PAT)	YES
NO IDENT TIMER	YES	TEXT	
TOUCH KEY PAD	YES	FAST TEXT	YES
ACTIVE ANTENNA(RF)	YES	NUMBER OF TELETEXT PAGES	1000P
OPERATION		CERTIFICATES	
WEEE COMPLIANT	YES	DIGITAL TELETEXT MHEG/MHP (ONLY FOR UK ID TV)	PAN EU: VBI
ROHS COMPLIANT	YES	EPG (ELECTRONIC PROGRAM GUIDE)	YES
		NOW AND NEXT	YES
		COMMON INTERFACE (PCMCIA SLOT FOR PAY CHANNELS)	YES
		LCN INSTALLATION (CHECK FOR COUNTRY)	YES